INTECH NDE Inspection Solutions

SPECTROLINE NDT

EagleE

LED UV-A Headlamp

Nominal steady-state UV-A (365 nm) intensity of 15,000 μW/cm² at 15 in (38 cm)



Dust Tight & Water Resistant



Fanless & Cool Running



Lightweight & Rugged

EEX-1000

Instant-On Operation

RECHARGEABLE BATTERY 5 Hours of uninterrupted high

quality UV-A Light.

NDT UV-A HEADLAMP

Equipped with UV-A pass filter to minimize visible light and increase UV light

LAMP ADJUSTMENT BRACKET

Enables operator to gain full control over direction of light

ADJUSTABLE HEADBAND

Fit lamp directly onto operators head or on an helmet.

EagleEye[™]-1 EEX-1000

MODEL	NOMINAL STEADY-STATE UV-A INTENSITY at 15 in (38 cm) ①	UV-A COVERAGE AREA at 15 in (38 cm) at minimum 1,200 µW/cm²
EEX-1000	15,000 µW/cm ²	4 in (10.1 cm) Diameter
Light Source:	UV-A (365 nm)	
Lamp Style:	Cordless lamp	
Lamphead Diameter:	1.89 in (4.8 cm)	и
Lamp Dimensions:	(L) 2.32 in (5.9 cm) X (W) 1.89 in (4.8 cm)	u
Length:	11.8 in (30 cm)	a A
Width:	9.44 in (24 cm)	
Height:	4.3 in (11 cm)	a
Weight:	8.4 oz (238 g) (with battery)	a
Power Requirements:	3.7V, 2.0 3000 mAh Li-Ion removable battery stick (rechargeable)	
Run Time:	5 hours (continuous)	
Charge Time:	4 hours	

① UV-A intensity reading taken with the Spectroline[®] AccuMAX[™] Series meter, and is factory set to the value shown.




EEX-1000


EagleEye[™]-1[™] Kit

Comes complete with EagleEye™-1 NDT UV-A lamp, two recharageable batteries, battery charging crade with cord set, UV- absorbing spectacles and hard carrying case.


UV-A Beam Profiles

Surface Contour Profile at 15 in (38 cm)





Top Intensity Profile at 15 in (38 cm)



For more information, please contact any of our 3 locations or email us at <u>Sales@intechnde.com</u> <u>www.intechnde.com</u>

British Columbia 140 - 8851 Beckwith Road Richmond, B.C. V6X 1V4 Tel: 604 276 8006 Toll Free: 1 800 677 8884 Alberta

6211 Roper Road Edmonton, Alberta T6B 3G6 Tel: 780 448 9575 Toll Free: 1 888 576 7756 Ontario #48 1200 Speers Road Oakville, Ontario L6L 2X4 Tel: 289 430 0286 Fax: 780 466 1280

www.intechnde.com